

TO ALL TO WHOM THESE; PRESENTS; SHARL COME;

Illinois Agricultural Experiment Station

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-LUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT TY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. United States seed of this variety (1) shall be sold by variety name only as F CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Burlison'

In Testimony Wathercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. this 29th day of

the year of our Lord one thousand nine hundred and ninety-one.

MAdig on

Mant Variety Protection Office Agricultural Marketing Service

	U.S. DEPARTMENT	OF AGRICULT	TURE	. <u></u>		APPROVED: OMB NO. 0581-0055			
	AGRICULTURAL M.				if a ci	cation is required in order to determine ant variety protection certificate is to used (7 U.S.C. 2421). Information is			
· · 	APPLICATION FOR PLANT VARI	IETY PROTI	ECTI	ON CERTIFICATE	held d	confidential until certificate is issued S.C. 2426).			
. 1	NAME OF APPLICANT(S) Illinois Agricultural Experin Station	ment		temporary designation LN82-9648		ARIETY NAME irlison			
4	ADDRESS (Street and No. or R.F.D. No., City, Sta	ite, and Zip Code	7 5.	PHONE (Include area code)		FOR OFFICIAL USE ONLY			
	University of Illinois				PVPC	NUMBER			
	211 Mumford Hall		2	17-333-0240	İ	8900194			
	Urbana, IL 61801		<u> </u>		<u> </u>				
6	GENUS AND SPECIES NAME	7. FAMILY N.	AME /	Botanical)	ی ا	Opr. 24, 1989			
-	Glycine max (L.) Merr.	Legumin	osa	9	FILING	TIME ☐ A.M. ☐ P.M.			
8	KIND NAME). DA	TE OF DETERMINATION		AMOUNT FOR FILING			
					۾ ا	s 1800 7350.			
	Soybeans		Augı	ıst 1, 1988	=	Opr. 24, 1989: 1			
					RECEIVED	77 //			
: 10	 IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.) 	N," GIVE FOR	MOF	DRIGANIZATION (Corporation		AMOUNT FOR CERTIFICATE (/			
					FEES	DATE			
٠, ٠٠,	Agricultural Experiment Stat	ion			-	March 18,1991			
1	. IF INCORPORATED, GIVE STATE OF INCORPORT	ORATION	1 - 1		12. [PATE OF INCORPORATION			
_	NAME AND ADDRESS OF ARRIVANT DEPOS	OFNITATING(0)		NY TO OFFICE IN THIS APPLIA	CATIO	NAND RECEIVE ALL PAPERS			
	NAME AND ADDRESS OF APPLICANT REPRE	and the second second		and the second s					
	Dr. Donald A. Holt, Direct 211 Mumford Hall, 1301 Wes					it Station			
		,			•): (217) 333-0240			
	MIN			PHONE (Include ar	ea code	(217) 333-0240			
	 CHECK APPROPRIATE BOX FOR EACH ATTAGE Exhibit A, Origin and Breeding History of Exhibit B, Novelty Statement. 			and the control of th	otection	Act.)			
	c. X Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.)								
	d. 🔀 Exhibit D, Additional Description of Variety.								
-	Exhibit E, Statement of the Basis of Appl. DOES THE APPLICANT(S) SPECIFY THAT SEE			BE COLD BY VARIETY NAM	E ON!	Y AS A CLASS OF CERTIFIED			
	SEED? (See Section 83(a) of the Plant Variety Pro			X Yes (If "Yes," answer					
16	DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE 17. IF "YES" TO ITEM 16 LIMITED AS TO NUMBER OF GENERATIONS? BEYOND BREEDERS					CLASSES OF PRODUCTION			
	Yes No					X Registered X Certified			
18	DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTEC	TION	OF THE VARIETY IN THE L	.s.?	Yes (If "Yes," give date)			
-			<u> </u>			X No			
19	HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SALI	E, OR	MARKETED IN THE U.S. OF	COTHE	Yes (If "Yes," give names			
si S		,		•		of countries and dates)			
					1 - 1	X No			
20	plenished upon request in accordance with s	uch regulation	s as m	ay be applicable.	**				
	The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this se ection 41, and	is ent	y reproduced novel plant va titled to protection under th	riety, a e prov	and delieve(s) that the variety is issions of Section 42 of the Plant			
<u> </u>	Applicant(s) is (are) informed that false repr	esentation her	ein ca	n jeopardize protection and	result	in penalties.			
SI	GNATURE OF APPLICANT				P	ATE / CO			
	don Halt	. •				#117/87			
SI	SNATURE OF APPLICANT	· · · · · · · · · · · · · · · · · · ·	·		D	ATE			

FORM LS-470 (3-86)

SOYBEAN

'Burlison'

14a. Exhibit A;

Pedigree: K74-113-76-486 x Century

Burlison originated as a F_4 plant selection from the cross of K74-113-76-486 x Century made at the Illinois Agricultural Experiment Station. K74-113-76-486 is a high yielding Phytophthora resistant soybean line selected from the cross of Tracy x Pomona. The F_2 and F_3 generations were advanced at the Puerto Rico Agricultural Experiment Station by single-seed descent. Burlison was evaluated as LN82-9648 in Illinois for Phytophthora rot resistance, metribuzin tolerance, and agronomic performance during 1982-87. It was evaluated in the Uniform Regional Soybean tests-Northern States; Preliminary Test IIA in 1986, and Uniform Test II in 1987. It is best adapted to 42 to 44° lat.

Burlison appears stable and uniform through five generations of selfing and during seed increase program for other characteristics.

Seeds of Burlison may have black markings (mottling) around the hilum when grown in environments where soybean mosaic virus is found. Progeny from these seeds may or may not have mottling depending upon the environment. This mottling is not a result of genetic variation within Burlison.

14b. Exhibit B. Novelty Statement.

Burlison is most similar to Elgin 87. Burlison differs from Elgin 87 in having $\operatorname{Rps}_1{}^b$ and Rps_3 alleles (resistance to races 1-9, 13-16, 18, 21-23, and 25 of Phytophthora rot), and sensitive to metribuzin ($\operatorname{\underline{hm}}$ allele) while Elgin 87 has the $\operatorname{Rps}_1{}^k$ allele (resistance to races 1-9, 13-15, 17, 18, 21 and 22 of Phytophthora rot) and is not sensitive to metribuzin ($\operatorname{\underline{Hm}}$ allele).

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max 1.)

SUYBEA	N (Glycine max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Illinois Agricultural Experiment Station		Burlison
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code		FOR OFFICIAL USE ONLY
University of Illinois 211 Mumford Hall		PVPO NUMBER -
Urbana, IL 61801		8900194
Choose the appropriate response which characterizes the varie	ety in the features describe	below. When the number of significant digits
in your answer is fewer than the number of boxes provided, I	place a zero in the first box	when number is 9 or less (e.g., 0 9).
Starred characters * are considered fundamental to an adequate	ate soybean variety descrip	tion. Other characters should be described
when information is available. 1. SEED SHAPE:		
(i) SEED SHAFE:	$oldsymbol{\psi}$	
2	T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	1 2 = Spherical Flattened	d (L/W ratio > 1.2; L/T ratio = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	4 = Elongate Flattened	(L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Othe	r (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
	Mark the second of the second	en <mark>este de la mandada de la composition della c</mark>
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy	'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	Enternal Control of Medical States Control	
1 8 Grams per 100 seeds	e to the comment of the comment of the comment	til ett vik er mekkel i skøre er e
5. HILUM COLOR: (Mature Seed)	11 (1441) 1 4 14 14	
6 1 = Buff 2 = Yellow 3 = Brown 4 =	= Gray 5 = Imperfect B	lack 6 = Black 7 = Other (Specify)
		and the second s
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
	and the second of the second o	the first of the first of the first of the second of the s
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 1 = Low 2 = High		
······································	the second of the second of the second of the second of	the second of th
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
2	minutes and minutes and a second of the seco	and the second of the second o
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with b	pronze band below cotyledons	
3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')		(woodworth ; ' i facy)
4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Co	oker Hampton 266A')	Paragraphic Committee of the Committee o
0. LEAFLET SHAPE:		· · · · · · · · · · · · · · · · · · ·
1 = Lanceolate 2 = Oval 3 = Ovate	Am Orban (Orban)	·
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

		4		· · · · · · · · · · · · · · · · · · ·	<u> </u>
11. LEAS	LET SIZE:				
2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')) 2 = Mediu	ım ('Corsoy 79'; 'Gasoy 17')		
V	1.4		2 = Medium ('Corsoy 79'; 'Gasoy 17') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = White with purple throat = Black 2 = Intermediate ('Amcor'; 'Braxton') 2 = Semi-Determinate ('Will') n') 4 = I	and the second of the second o	
12. LEAF	COLOR:				
2	1 = Light Green ('Weber'; 'York' 3 = Dark Green ('Gnome'; 'Trac	') 2 = Medic			
San Francisco	and the second of the second o	en e	en e	· · · · · · · · · · · · · · · · · · ·	and the control of the second
13. FLOV	VER COLOR:				
1	1 = White 2 = Purp	le 3 = White wit	th purple throat	s a second	will and the second of the second of the second of the
14. POD (COLOR:				
1	1 = Tan 2 = Brown	3 = Black	grand contains and contains		e and the first of the second warmers to represent the second
15. PLAN	T PUBESCENCE COLOR:				
. [a]	1.= Gray 7 2 = Brown (Towns			
[2]	The Gray	Taviny (and the second s		n de la companya de La companya de la co
16. PLAN	T TYPES: Sample of the property of the propert	a general in a light m	na 🦸 y 🐝 Penyana ing meg	7 J. H. 1889	A COMPANIENCE
2	1 = Slender ('Essex'; 'Amsoy 71')				en og en skalader i den gred til deleger og fædensære en ære en engensæren.
	3 = Bushy ('Gnome', 'Govan')			in the second se	
17. PLAN	Г НАВІТ:				
	1 = Determinate l'Grome': 'Brav	ton')	Octorminate (Will)	and the second of the second	en jarokara kan da k
[3]	3 = Indeterminate ('Nebsoy': 'Im-	proved Pelican')			
18. MATU	RITY GROUP: 100 100 100 100 100 100	MANUAL COMMUNICATION CONTRACTOR OF THE	and the second s	enders of the second	and the second second section of the second
5	1 = 000 2 = 00 9 = VI 10 = VII	3 = 0 4 = I 11 = VIII 12 = IX		~ 7 = 4V	. 8: ≟.V. de combinado de la combinada de la
	ిక్షాణ కృత్తార్ములు				rangan dan kecamban br>Kecamban dan kecamban dan kecamb
19. DISEA	SE REACTION: (Enter 0 = Not Te		sistant)	a constant a super-	
BACT	ERIAL DISEASES:	19 - 19 3 3 9		- 11 A	
★ 2	Bacterial Pustule (Xanthomonas p	nhaseoli var solensis)	k .		
→					
	Bacterial Blight (Pseudomonas gly	A STATE OF THE STA	and the second of the second o	en jaron kanada kan Tanada kanada kanad	erako interna eleptora elektronia elektronia ele
★ [0]	Wildfire (Pseudomonas tabaci)	na ministra de la Servicio. Prima di Servicio de Servicio de Servicio.	na na siya na kata baran ka sa k Ka sa ka	er en	
FUNGA	AL DISEASES:				
★ []	Brown Spot (Septoria glycines)		and the second s	Marie and Arministration of the Control of the Cont	an a sa kana a kana an a sa s
	Frogeye Leaf Spot (Cercospora so	jina)		ing sa <u>Sangara Sa</u> ngaran Sangaran Sangaran Sangaran Sangaran Sangaran Sangaran Sangaran Sangaran Sangaran Sangar Sangaran Sangaran Sa	
★ 0	Race 1 Race 2	Race 3	Race 4 Race 5	Other (Sp	ecity)
0	Target Spot (Corynespora cassiico	(a)			
2	Downy Mildew (Peronospora trifo	liorum var. manshurica)	on the following of the second		ر المراجعة المنظمية المنظم المنظمة الم المنظمة المنظمة
2	Powdery Mildew (Microsphaera di	ffusa)	gangamenek bib. Mangawasan berbesailan	-	
★ 1	Brown Stem Rot (Cephalosporium	gregatum)			
		a Substantial Control of the Contro	a caregraph Station Action of Combination		

FORM LMGS-470-57 (6-83)

Page 2 of 4


19.	DISEA	SE REACTION	: (Enter 0 = Not T	ested; 1 = Susceptible; 2 =	Resistant) (Continued)	and the state of the state of	elektrik in de en	REPORT SERVICE			
	FUNGAL DISEASES: (Continued)										
*	0	Pod and Stem Blight (Diaporthe phaseolorum var; sojae)									
	0	Purple Seed Stain (Cercospora kikuchii)									
	0	Rhizoctonia F	Root Rot (Rhizocto	onia solani)							
		Phytophthora Rot (Phytophthora megasperma var. sojae)									
\star	Race 6 2 Rac	ce 7									
	2	Race 8	2 Race 9	Other (Specify) _1	aces 13-16, 18, 2	1, 23 an	d 25				
	VIRA	AL DISEASES:					•				
	0	Bud Blight (T	obacco Ringspot V	irus)							
	0	Yellow Mosaid	c (Bean Yellow Mo	saic Virus)							
*	0	Cowpea Mosa	ic (Cowpea Chloro	cic Virus)							
	0	Pod Mottle (B	ean Pod Mottle Vir	us)							
*			Soybean Mosaic Vi	·			·				
	NEM.	ATODE DISEA									
		Soybean Cyst	Nematode (Hetero	dera glycines)							
*		Race 1	1 Race 2	1 Race 3 1	Race 4 Other (Specify)					
		Lance Nemato	ode (Hoptolaimus C	colombus)							
*	0			Meloidogyne incognita)							
ି •				Meloidogyne Hapla)			•				
				eloidogyne arenaria)							
			natode <i>(Rotylenchi</i>								
			•	·							
		OTHER DISE.	ASE NOT ON FOF	(M (Specity):							
20,	PHYSIO	LOGICAL RES	SPONSES: (Enter	D = Not Tested; 1 = Suscep	tible; 2 = Resistant)						
*	2	Iron Chlorosis	on Calcareous Soil								
		Other (Specify	J			-					
21.	INSECT	REACTION:	(Enter 0 = Not Tes	ted; 1 = Susceptible; 2 = Re	esistant)			, "" · · · · ·			
	0			t te gang ekin	Augmention of the Court	up etty, tau a tir	permitted substitutions	ē.			
		100		ere grande de de televisione. Mand	errandighen, in handliger in						
	2	. 1 1) <u>Spider ı</u>		two ends to dead of the second		ng resint of				
22.	INDICA			SELY RESEMBLES THA	T SURMITTED						
		ACTER		OF VARIETY	CHARACTER	, :	NAME OF VARIETY	• • •			
Plant Shape E1gin 87			Seed Coat Luster	Century							
L	_eaf Shap	pe	Elgin 8		Seed Size	Century					
ı	eaf Colo	or	Elgin 8	7	Seed Shape	Century	84 *** *** **	-di-			
L	_eaf Size		Elgin 8	7.	Seedling Pigmentation	BSR 201	a electric de vier	AMERICAN AMERICAN			
							The second secon				

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Burlison Submitted	144	1.8	9.4	7	11	41.0	20.5	18.0	2.5
Elgin 87 Name of Similar Variety	140	2.5	9.6	7 8	10	37.8	22.3	15.6	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



14d. Exhibit D. Additional Description of Variety.

Burlison is classified as Group II maturity (relative maturity 2.9) averaging 4 days later than Elgin 87 and 3 days later than Century 84. In comparison to Elgin 87, Burlison has 3% higher yield, better lodging resistance, 2.4 g/100 seeds heavier seed weight, 3.2 percentage units higher seed protein and 1.8 percentage units lower seed oil. Burlison is more sensitive to metribuzin than Elgin 87 or Century 84. Burlison has more tolerance to spider mite than Elgin 87, Century 84, and BSR 201. Burlison has the Eul-b gene for urease as compared to Eul-b gene in Elgin 87.

14e. Exhibit E. Statement of the Basis of Applicants Ownership.

Burlison was developed at the Illinois Agricultural Experiment Station by C. D. Nickell, an employee of the Department of Agronomy and the Ill. Agric. Expt. Stn.